

Variety catalogue

2023-2024

Building on potential

Mission

Everybody deserves to enjoy food.

Meijer Potato

Building on potential

Meijer Potato has been active in potatoes since 1920. Our founder, Kees Meijer sr., had faith in the potato, which was the foundation on which he built his company.

For 100 years already, every employee has contributed expertise, passion and enjoyment. Those are the elements that help us to get the most out of ourselves and our crop. We innovate with an eye for the environment and for market developments. Worldwide trust in potatoes and their potential is still growing. That provides the potential that we build on, in order to let more people enjoy high quality potatoes. Today, our varieties are sold under licence or as propagating material in more than 60 countries.

At Meijer Potato we care about more than potatoes and growth. People are the most important, everybody matters. We let our employees' talents speak and focus on what we do very well. We align our supply to what is valuable for people now and in the future. With our partners, producers and customers, we build long lasting relationships and mutual trust.

This way of working provides fulfilment, enjoyment and growth. Together, we work towards our mission, because: Everybody deserves to enjoy food.



Erika den Daas

Managing director



Vision

With an eye for people, we develop high value potato varieties for changing markets and challenging conditions.

Table of contents

We translate our knowledge of potato genetics and our insight about the potato value chain into varieties with an added value.

- 6. **Breeding & Market Launch**
- 8. **Robustness Index**
- 9. **Innovation**



10. **Crisping varieties**

- 12. Lady Alicia
- 12. Lady Amarilla
- 13. Lady Claire
- 13. Lady Rosetta
- 14. Lady Britta
- 14. CMK 2017-522-007



16. **French fry varieties**

- 18. Lady Jane
- 18. Lady Amarilla
- 19. Lady Anna
- 19. Lady Olympia
- 20. Lady Terra
- 20. Lady Forte
- 21. Lady Luce



22. **Table varieties**

- 24. Acoustic
- 24. Sound
- 25. Cupido
- 25. Jazzy
- 26. Melody
- 26. Musica
- 27. Orchestra
- 27. Soprano
- 28. Lady Christl
- 28. CMK 2017-002-002
- 29. CMK 2018-003-002
- 29. CMK 2017-039-011

30. **Contact**




Breeding & Market Launch

Breeding

Market Launch

Sales



Meijer Potato Robustness Index

Meijer Potato believes that everybody deserves to enjoy food. Robust potato varieties are necessary to provide a growing world population with healthy food, even in the face of climate change. Meijer Potato is now launching a digital robustness index with 7 items, made up of different variety characteristics, to objectively compare the robustness of varieties:



1. Marketable yield includes e.g. washability and scab tolerance. Thanks to a high marketable yield per hectare, a variety uses scarce agricultural land efficiently.

2. Climate adaptation is based on, among other things, the yield and dry matter content in different climates. The more stable the variety scores under different climate conditions, the higher the score in the index.

3. Soil adaptation is about a stable yield and dry matter content on different soil types.

4. Crop protection efficiency concerns e.g. late blight and virus resistant varieties that require less crop protection products. These varieties allow for sustainable farming practices whilst providing security for farmers.

5. Fertilizer efficiency provides insight into how efficiently varieties use e.g. nitrogen and can therefore be grown with respect for nature.

6. Water efficiency concerns e.g. salt-tolerant varieties, but also varieties that deal with a scarce (fresh) water supply more efficiently.

7. Storability refers to varieties with e.g. a long dormancy period and varieties with a good frying colour throughout the storage season, resulting in a higher value and higher net output.




Development

We breed potatoes from our vision on changing demand and new opportunities.

Innovation

Technology, research & development for better varieties

The development of new potato varieties takes years. The process from the first crossing to the availability of a new variety on the market takes about 8-12 years. At Meijer Potato, we focus our R&D activities on a more rapid introduction of new high value potato varieties. In this way, we are better able to respond to changes in demand and circumstances, and do so more rapidly.



“Innovation must lead to optimization and speed: more sustainable cultivation and improved applications for our new potato varieties.”

- Guus Heselmans

DNA technology

We research potato DNA in order to discover the best markers out of millions of DNA fragments to accelerate and optimize the breeding programme. We utilize our gene pool to look for solutions for all sorts of challenges such as diseases, plagues, droughts, salinization or high temperatures. Our focus is on:


- A stable yield under diverse circumstances
- A high practical value for the whole potato chain

This is reflected well in our varieties.



Crisping varieties

The best crisping varieties develop little sugar in the potato and provide an optimal yield per hectare. In our breeding, we focus on crisping varieties with these characteristics. We increasingly ensure that our varieties are more resistant to the effects of climate change, without loss in the quality of processing and yield.



	Lady Alicia	Lady Amarilla	Lady Claire
Yield	High	High	Medium
Underwater weight	463	393	422
Dry matter (%)	24,8	21,3	22,8
Maturity	Medium	Mid Early	Early/Mid Early
Dormancy	Medium	Long	Medium
Bruise index (*1)	14	3	11
Second growth (*2)	7,3	7,4	7,3
Common scab (*2)	7,6	6,9	7,2
Phytophthora resistance (*2)	3	4,0	3,1
Y-virus resistance	6,5	7,5	6
Yntn-virus resistance	8	7	7
Tuber Shape	Round Oval	Oval Long	Round Oval/Oval
40/70 mm (%)	85	89	84
Skin Colour	Dark Yellow	Dark Yellow	Dark Yellow
Flesh Colour	Light Yellow	Yellow	Light Yellow
Tuber Uniformity	Very High	Very High	Very High
Depth of the eyes	Shallow	Shallow	Shallow
Internal Defects (%)	0	0	1
Hollow Heart (%)	1	0	0
Crisp colour October (8 °C)	8	8	8
Crisp colour February (8 °C)	8	7	8
Crisp colour May (8 °C)	6	8	7
Crisp colour June (4 °C)	7	7	8
Nematode Ro1 (*2)	9	1	9
Nematode Ro2/3 (*2)	1	1	
Nematode Pa2 (*2)	2	1	
Nematode Pa3 (*2)	1	1	
Wart disease wz 1 (D1) (*3)	4	10	10
Wart disease wz 2 (G1) (*3)	4	4	
Wart disease wz 6 (O1) (*3)	6	4	8
Wart disease wz 18 (T1) (*3)	4	4	

(*1): 0 = free, 50 = very heavy (*2): 9 = highly resistant, 1 = very susceptible (*3): 10 = resistant, 3 = very susceptible

	Lady Rosetta	Lady Britta	CMK 2017-522-007
Yield	High	High	Very high
Underwater weight	457	437	527
Dry matter (%)	24,5	23,5	27,9
Maturity	Early	Mid Early	Medium
Dormancy	Medium	Medium Long	Medium
Bruise index (*1)	38	27	30
Second growth (*2)	7	7,1	7,5
Common scab (*2)	6,8	7,3	6,7
Phytophthora resistance (*2)	3,2	3,6	3
Y-virus resistance	7,5	7,5	9
Yntn-virus resistance	7	1	10
Tuber Shape	Round	Round	Round/Round Oval
40/70 mm (%)	76	84	80
Skin Colour	Red	Yellow	Yellow
Flesh Colour	Light Yellow	Dark Yellow	Dark Yellow
Tuber Uniformity	Very High	Very High	Very High
Depth of the eyes	Medium	Shallow	Medium
Internal Defects (%)	2	1	0
Hollow Heart (%)	1	0	1
Crisp colour October (8 °C)	7	8	8
Crisp colour February (8 °C)	5	8	8
Crisp colour May (8 °C)	4	6	6
Crisp colour June (4 °C)	4	6	7
Nematode Ro1 (*2)	9	1	9
Nematode Ro2/3 (*2)		1	8
Nematode Pa2 (*2)	2	1	9
Nematode Pa3 (*2)	2	1	7
Wart disease wz 1 (D1) (*3)	9	10	5
Wart disease wz 2 (G1) (*3)		0	
Wart disease wz 6 (O1) (*3)	7	4	8
Wart disease wz 18 (T1) (*3)			5

Crisping varieties




Lady Alicia

Fast grower with a high yield.

Yield	High
Underwater weight	463
Dry matter (%)	24,8
Maturity	Medium
Dormancy	Medium
Tuber Shape	Round Oval
Skin Colour	Dark Yellow
Flesh Colour	Light Yellow

Traits

- Crisping variety with strong plants that survive stress periods well
- High dry matter content in the tuber and not susceptible to blackspot
- Not susceptible to scab
- High tonnage per hectare
- Excellent cooking quality, also after long storage




Lady Amarilla

Flexible utilization with year-round quality.

Yield	High
Underwater weight	393
Dry matter (%)	21,3
Maturity	Mid Early
Dormancy	Long
Tuber Shape	Oval Long
Skin Colour	Dark Yellow
Flesh Colour	Yellow

Traits

- Early ripening and good storage qualities ensure a long shelf life
- Low level of reduced sugars
- Stable underwater weight, blackspot blemish sensitivity is very low
- Sensitive to Alternaria, start control measures early in the season
- Spray irrigation is necessary with light soil cultivation



Lady Claire

Mainstay for the crisps industry when it comes to guaranteeing quality.

Yield	Medium
Underwater weight	422
Dry matter (%)	22,8
Maturity	Early/Mid Early
Dormancy	Medium
Tuber Shape	Round Oval/Oval
Skin Colour	Dark Yellow
Flesh Colour	Light Yellow

Traits

- Crisping variety that can be used year-round
- The transparent skinned tubers are round-oval and easy to peel
- Long storage possible at a temperature of 6°C
- Timely start to combat Phytophthora
- Be alert to a lack of magnesium




Lady Rosetta

The straight off the land crisping variety.


Yield	High
Underwater weight	457
Dry matter (%)	24,5
Maturity	Early
Dormancy	Medium
Tuber Shape	Round
Skin Colour	Red
Flesh Colour	Light Yellow

Traits

- Crisping variety reaches its dry matter content and low sugars early in the season
- Red skin, round, uniform tuber with fairly shallow eyes
- High harvest security with a good yield thanks to a uniform tuber sorting size
- Fairly fast foliage development with good soil coverage
- Start suppressing Phytophthora early on
- Ventilation to dry straight after harvesting
- Prevent blackspot



Crisping varieties



Lady Britta

Excellent crisping potato for sandy soils.

Yield	High
Underwater weight	437
Dry matter (%)	23,5
Maturity	Mid Early
Dormancy	Medium Long
Tuber Shape	Round
Skin Colour	Yellow
Flesh Colour	Dark Yellow

Traits

- Easy to process directly off the land
- Long shelf life thanks to low sugar content in the tuber
- Crisping variety has a deep-yellow colour, shallow eyes and a uniform sorting size
- Gives high results during processing to end product
- Extremely suited for growing on sandy soils



CMK 2017-522-007

Yield	Very High
Underwater weight	527
Dry matter (%)	27,9
Maturity	Medium
Dormancy	Medium
Tuber Shape	Round/Round Oval
Skin Colour	Yellow
Flesh Colour	Dark Yellow

Traits


- Excellent frying quality at early processing and after long term storage
- Variety which offers a high yield
- Very high dry matter content
- Broad resistance to nematodes
- Virus Y resistant



Meijer Potato varieties make the difference in challenging circumstances and are able to respond to changing market needs.

French fry varieties

French fry products call for high quality expressed in a high percentage of dry matter, a smooth, uniform shape and few eyes. We strive for little loss through diseases and plagues by breeding the necessary resistance, a good yield and storage life, and, additionally, good processing features for the French fry factory all year round.




	Lady Jane	Lady Amarilla	Lady Anna	Lady Olympia
Yield	Very High	Medium	Relatively High	High
Underwater weight	419	393	418	401
Dry matter (%)	22,6	21,3	22,5	21,7
Maturity	Medium	Mid Early	Medium	Medium
Dormancy	Medium Long	Long	Long	Medium Long
Bruise index (*1)	23	3	6	17
Second growth (*2)	6,8	7,4	7,3	6
Common scab (*2)	6,8	6,9	6,9	6
Phytophthora resistance (*2)	8,9	4,0	4,2	3
Y-virus resistance	8	7,5	7	8
Yntn-virus resistance	7	7	7	5,5
Tuber Shape	Long Oval/Long	Oval Long	Long	Long Oval
50/+ mm %	73	65	60	86
40/70 mm (%)	78	89	87	76
Skin Colour	Dark Yellow	Dark Yellow	Yellow	Light Yellow
Flesh Colour	Yellow	Yellow	Light Yellow	Light Yellow
Depth of the eyes	Shallow	Shallow	Very shallow	Shallow
Tuber Uniformity	Good	Very High	Very High	Very High
Internal Defects (%)	2	0	1	1
Hollow Heart (%)	3	0	0	1
French fry colour October (8 °C)	7	8	7	7
French fry colour February (8 °C)	7	8	6	7
French fry colour May (8 °C)	6	8	6	7
French fry colour June (4 °C)	4	6	5	5
Nematode Ro1 (*2)	9	1	9	
Nematode Ro2/3 (*2)	3	1	8	
Nematode Pa2 (*2)	3	1	8	
Nematode Pa3 (*2)	1	1	2	
Wart disease wz 1 (D1) (*3)	10	10	10	10
Wart disease wz 2 (G1) (*3)		4	4	
Wart disease wz 6 (O1) (*3)	4	4	4	9
Wart disease wz 18 (T1) (*3)	4	4	4	

(*1): 0 = free, 50 = very heavy (*2): 9 = highly resistant, 1 = very susceptible (*3): 10 = resistant, 3 = very susceptible, Foliar late blight resistance

	Lady Terra	Lady Forte	Lady Luce
Yield	Very high	Very High	Very High
Underwater weight	398	415	392
Dry matter (%)	21,6	22,5	21,3
Maturity	Medium	Medium	Medium
Dormancy	Medium	Long	Long
Bruise index (*1)	15	9	16
Second growth (*2)	7,4	7,3	7
Common scab (*2)	7,4	7,4	7,1
Phytophthora resistance (*2)	3,6	4,1	2,4
Y-virus resistance	6	8	7
Yntn-virus resistance	7	10	8
Tuber Shape	Long Oval/Long	Long Oval/Long	Long Oval/Long
50/+ mm %	66	78	72
40/70 mm (%)	85	86	84
Skin Colour	Yellow	Yellow	Yellow
Flesh Colour	Light Yellow	Cream	White
Depth of the eyes	Shallow	Shallow	Shallow
Tuber Uniformity	Very High	Very High	Very High
Internal Defects (%)	2	2	3
Hollow Heart (%)	0	1	1
French fry colour October (8 °C)	7	7	8
French fry colour February (8 °C)	6	6	8
French fry colour May (8 °C)	6	6	7
French fry colour June (4 °C)	5	5	7
Nematode Ro1 (*2)	9	9	9
Nematode Ro2/3 (*2)	1	6	6
Nematode Pa2 (*2)	4	7	9
Nematode Pa3 (*2)	4	1	8
Wart disease wz 1 (D1) (*3)	10	4	10
Wart disease wz 2 (G1) (*3)			4
Wart disease wz 6 (O1) (*3)	9	3	5
Wart disease wz 18 (T1) (*3)	8	5	1

Using drone technology, we follow the crop growth and gain better insight into yield determining genetics. This is not possible with the naked eye.

French fry varieties



Lady Jane


Stress-resistant and easy to cultivate French fry variety.

Yield	Very High
Underwater weight	419
Dry matter (%)	22,6
Maturity	Medium
Dormancy	Medium Long
Tuber Shape	Long Oval/Long
Skin Colour	Dark Yellow
Flesh Colour	Yellow

Traits

- Stress-resistant and easy to cultivate
- Resistance against Phytophthora
- High yield per hectare
- Good dry matter content
- Maintains a good colour after cooking

 Foliar late blight resistance



Lady Amarilla

Flexible utilisation with year-round quality.

Yield	Medium
Underwater weight	393
Dry matter (%)	21,3
Maturity	Mid Early
Dormancy	Long
Tuber Shape	Oval Long
Skin Colour	Dark Yellow
Flesh Colour	Yellow

Traits

- Early ripening and good storage qualities ensure a long shelf life
- Low level of reduced sugars
- Stable underwater weight, blackspot blemish sensitivity is very low
- Sensitive to Alternaria, start control measures early in the season
- Spray irrigation is necessary with light soil cultivation



Lady Anna

Ultimate yield and quality.

Yield	Relatively High
Underwater weight	418
Dry matter (%)	22,5
Maturity	Medium
Dormancy	Long
Tuber Shape	Long
Skin Colour	Yellow
Flesh Colour	Light Yellow

Traits

- High processing return
- Not susceptible to blackspot, scab or stolon formation
- French fries variety with resistance for potato nematode (A, B, C and D)
- After sprouting, allow to loosen up again
- Good soil temperature is necessary for a steady emergence
- Do not plant too deep



Lady Olympia


Versatile use and tasty

Yield	High
Underwater weight	401
Dry matter (%)	21,7
Maturity	Medium
Dormancy	Medium Long
Tuber Shape	Long Oval
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Answers to stringent demands from the French fries industry
- Potato variety with uniform tubers with shallow eyes and light-yellow flesh
- Long storage at a low temperature, maintains its frying colour
- Not very susceptible to blackspot
- Timely suppression of Phytophthora

French fry varieties



Lady Terra

Excels in its above average yield.

Yield	Very High
Underwater weight	398
Dry matter (%)	21,6
Maturity	Medium
Dormancy	Medium
Tuber Shape	Long Oval/Long
Skin Colour	Yellow
Flesh Colour	Light Yellow

Traits

- Consistent above average yield per hectare
- High stress resistance
- French fries variety with strong plants




Lady Forte

Cream flesh colour & very high yield.

Yield	Very High
Underwater weight	415
Dry matter (%)	22,5
Maturity	Medium
Dormancy	Long
Tuber Shape	Long Oval/Long
Skin Colour	Yellow
Flesh Colour	Cream

Traits

- High yield/ha
- Very uniform tuber shape and size
- High quality in long term storage
- Cream flesh colour



Lady Luce

Long and strong with a white flesh colour.

Yield	Very High
Underwater weight	392
Dry matter (%)	21,3
Maturity	Medium
Dormancy	Long
Tuber Shape	Long Oval/Long
Skin Colour	Yellow
Flesh Colour	White

Traits

- White flesh colour
- Long term storability with excellent fry colour
- Consistently high yield with low nitrogen requirement
- Resistant to Globodera Pallida 2 & 3

Table varieties

Consumers increasingly look for convenience and value taste. This is why we focus on the breeding of attractive and tasty potato varieties. For growers, sustainable cultivation, a high yield, uniform product quality, and easy cultivation under varying climate conditions, are all important factors. For all stakeholders, a good storage life and processing options without much waste are vital. These demands determine the guidelines for our breeding of table potatoes.




	Acoustic	Sound	Cupido	Jazzy	Melody
Yield	High	Very High	Medium	Medium	High
Underwater weight	327	357	355	340	375
Dry matter (%)	18,1	19,7	19,4	18,8	20,5
Maturity	Medium	Medium	Mid Early	Early	Late
Dormancy	Short	Medium Long	Medium Long	Short	Medium Long
Bruise index (*1)	12	22	19	5	11
Second growth (*2)	6,9	6,8	7,3	6,7	7,4
Common scab (*2)	6,3	6,4	6,3	6,8	7,3
Phytophthora resistance (*2)	9,5	9,1	2,9	2,8	4,1
Y-virus resistance	8		9	6	8
Yntn-virus resistance	10	7	10	7	10
Tuber Shape	Oval	Long Oval/Long	Oval	Long	Round Oval
50/+ mm %	79	74	72	14	80
40/70 mm (%)	72	78	79	46	72
Skin Colour	Light Yellow	Light Yellow	Light Yellow	Light Yellow	Light Yellow
Flesh Colour	Light Yellow	Light Yellow	Light Yellow	Light Yellow	Yellow
Depth of the eyes	Shallow	Shallow	Very Shallow	Very Shallow	Shallow
Tuber Uniformity	Very High	Good	Very High	Good	Very High
Washability	Good	Very High	Very High	Very High	Good
Internal Defects (%)	4	1	0	0	3
Hollow Heart (%)	1	0	1	0	0
Cooking type February	Firm	Mealy	Firm	Firm	Mealy
French fry colour October (8 °C)	5	6	5	4	5
French fry colour February (8 °C)	5	6	4	3	4
French fry colour May (8 °C)	5	6	4	3	4
Nematode Ro1 (*2)	9	9	9	3	9
Nematode Ro2/3 (*2)	6	4			4
Nematode Pa2 (*2)	1	3			5
Nematode Pa3 (*2)	1	2			1
Wart disease wz 1 (D1) (*3)	10	9		10	10
Wart disease wz 2 (G1) (*3)	4			4	9
Wart disease wz 6 (O1) (*3)	4	4	7	4	9
Wart disease wz 18 (T1) (*3)	6	4		6	4

(*1): 0 = free, 50 = very heavy (*2): 9 = highly resistant, 1 = very susceptible (*3): 10 = resistant, 3 = very susceptible, Foliar late blight resistance

Musica	Orchestra	Soprano	Lady Christl	CMK 2017-002-002	CMK 2018-003-002	CMK 2017-039-011
Very High	High	Relatively High	Medium	Very High	High	High
348	319	345	313	315	323	374
19,1	17,8	19	17,4	17,4	17,9	20,4
Mid Early	Mid Early	Mid Early	Very Early	Mid Early	Early	Medium
Medium Short	Medium	Medium	Medium Short	Medium	Short	Medium
14	13	9	14	17	10	9
7,4	7,1	7,3	7,6	7,6	7,2	7,6
7,2	7,4	5,7	7,5	7,2	7	7,3
3,5	3,0	3,6	3,2	3	10	3,5
8	8	6	9	9	7	(9)
10	10	7	10	10		
Long Oval/Oval	Round Oval/Oval	Long Oval/Long	Long Oval/Oval	Round Oval	Oval	Oval
66	75	69	50	90	63	75
85	80	85	85	58	83	82
Yellow	Light Yellow	Yellow	Yellow	Yellow	Light Yellow	Light Yellow
Yellow	Light Yellow	Light Yellow	Light Yellow	Light Yellow	Light Yellow	Light Yellow
Shallow	Shallow	Very Shallow	Very Shallow	Shallow	Very Shallow	Very Shallow
Very High	Very High	Very High	Very High	Very High	Very High	Very High
Good	Very High	Very High	Very High	Very High	Very High	Good
4	1	0	13	1	1	0
0	0	0	0	0	0	4
Firm	Firm	Mealy	Firm	Firm	Firm	Mealy
4	5	7	4	6	6	7
3	4	6	3	4	5	6
3	3	6	3	5		5
9	9	2	9	9	9	9
8				9	7	3
6				6	4	1
3				2		
10	10	8	10	7	10	10
4						
4	3	6	7	6	5	7
4				8	8	5

Table varieties



Acoustic

Tasty table potato with pure traits.

Yield	High
Underwater weight	327
Dry matter (%)	18,1
Maturity	Medium
Dormancy	Short
Cooking type	Firm
Tuber Shape	Oval
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Being late blight resistant, it's suitable for both conventional and organic cultivation
- Has a high yield both on lighter soil and heavier soil
- Stress and weather resistant
- Round oval uniform tubers with a good skin

 Foliar late blight resistance



Sound


Robust and stress-resistant variety with high yield.

Yield	Very High
Underwater weight	357
Dry matter (%)	19,7
Maturity	Medium
Dormancy	Medium Long
Cooking type	Mealy
Tuber Shape	Long Oval/Long
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Resistance against Phytophthora
- High yields per hectare
- Good dry matter content
- Long oval tubers with fine skin

 Foliar late blight resistance



Cupido

Early variety with a good skin.

Yield	Medium
Underwater weight	355
Dry matter (%)	19,4
Maturity	Mid Early
Dormancy	Medium Long
Cooking type	Firm
Tuber Shape	Oval
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Nice skin in combination with a fairly waxy cooking type
- Early variety with rough tubers and shallow eyes, gives a high yield per hectare
- Do not plant early in cold ground and do not cultivate on scab sensitive soil
- Prevent too strong germination
- Important to allow to harden off well before harvesting, after harvesting ensure ventilation to dry as soon as possible



Jazzy


Renewal for the potato sector: wash, cook, and enjoy.

Yield	Medium
Underwater weight	340
Dry matter (%)	18,8
Maturity	Early
Dormancy	Short
Cooking type	Firm
Tuber Shape	Long
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Productive potato variety, both in the number of tubers per plant, as well as yield per hectare
- Waxy type (A) with a good taste and good texture
- Very low blemish index promotes the internal quality
- Wash well before packing
- Table potato Jazzy can be stored well

Table varieties




Melody

The stable table variety.

Yield	High
Underwater weight	375
Dry matter (%)	20,5
Maturity	Late
Dormancy	Medium Long
Cooking type	Mealy
Tuber Shape	Round Oval
Skin Colour	Light Yellow
Flesh Colour	Yellow

Traits

- Table variety with very regular shallow-eyed tubers
- Good traits
- Robust, stress-resistant plants ensure a good, harvest-secure production
- Long dormancy period
- Ventilate to dry as soon as possible after harvesting
- Careful use of sprout inhibitor during storage
- Melody is a sensitive variety when it comes to TRV disease




Orchestra

Stable, robust variety with high net yield.

Yield	High
Underwater weight	319
Dry matter (%)	17,8
Maturity	Mid Early
Dormancy	Medium
Cooking type	Firm
Tuber Shape	Round Oval/Oval
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Robust and early potato variety
- Stress-resistant and intended for the waxy table potato market and grill market
- Timely suppression of Phytophthora
- Careful use of sprout inhibitor during storage
- Sensitive to fusarium




Musica

Easy to cultivate and strong.

Yield	Very High
Underwater weight	348
Dry matter (%)	19,1
Maturity	Mid Early
Dormancy	Medium Short
Cooking type	Firm
Tuber Shape	Long Oval/Oval
Skin Colour	Yellow
Flesh Colour	Yellow

Traits

- Dark yellow colour waxy potato
- Productive, middle-early variety and resistant against Yntn-virus and a range of potato fatigue causers (A, B, C and D)
- Multi-functional, also for the chilled fresh industry
- Do not pre-germinate
- To keep the nice skin, do not let the crop die off naturally



Soprano


Ideal combination of appearance, sorting and yield.

Yield	Relatively High
Underwater weight	345
Dry matter (%)	19
Maturity	Mid Early
Dormancy	Medium
Cooking type	Mealy
Tuber Shape	Long Oval/Long
Skin Colour	Yellow
Flesh Colour	Light Yellow

Traits

- Potato variety with a good appearance and uniform sorting size
- High marketable yield
- Fairly waxy potato also suitable for homemade French fries
- Sensitive to scab
- Not sensitive to blackspot

Table varieties




Lady Christl

Early variety with an excellent appearance and taste.

Yield	Medium
Underwater weight	313
Dry matter (%)	17,4
Maturity	Very Early
Dormancy	Medium Short
Cooking type	Firm
Tuber Shape	Long Oval/Oval
Skin Colour	Yellow
Flesh Colour	Light Yellow

Traits

- Table variety with good appearance, long oval tuber shape, fairly yellow flesh and suitable for washing
- Year-round availability made possible through cultivation in various regions
- Waxy table variety with many tubers of uniform sorting size, high marketable yield, early variety
- Surprising consumption quality, early variety offers growers assurance
- Prevent deterioration by Rhizoctonia
- Be alert for a lack of magnesium
- Watch out for silver scurf
- Do not use sprout inhibitor during storage




CMK 2018-003-002

Yield	High
Underwater weight	323
Dry matter (%)	17,9
Maturity	Early
Dormancy	Short
Cooking type	Firm
Tuber Shape	Oval
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- High number of tubers per plant
- Highly washable skin
- Good tolerance against common scab
- Early growing cycle

 Foliar late blight resistance




CMK 2017-002-002

Yield	Very High
Underwater weight	315
Dry matter (%)	17,4
Maturity	Mid Early
Dormancy	Medium
Cooking type	Firm
Tuber Shape	Round Oval
Skin Colour	Yellow
Flesh Colour	Light Yellow

Traits

- High yield per hectare
- High fraction of big sizes suitable for baker market
- Nice washable and uniform tubers
- Good tolerance against common scab
- Virus Y resistant



CMK 2017-039-011

Yield	High
Underwater weight	374
Dry matter (%)	20,4
Maturity	Medium
Dormancy	Medium
Cooking type	Mealy
Tuber Shape	Oval
Skin Colour	Light Yellow
Flesh Colour	Light Yellow

Traits

- Homogeneous marketable product
- Very stable through various soils/climates
- High 40/70 %
- Abilities for home French fries
- Virus Y resistant

Our high value potato varieties are sold worldwide and cultivated under licence.

Contact

Any questions? Please contact one of our employees. We will be looking forward to answering your questions.



Jan van der Werff
International Sales Manager
T +31 (0)113 760113
M +31 (0)653382324
janvanderwerff@meijerpotato.com



Erik Oggel
International Sales Manager
T +31 (0)113 760137
M +31 (0)650489101
erikoggel@meijerpotato.com



Joost Rovers
International Sales Manager
T +31 (0)113 760139
M +31 (0)633926203
joostrovers@meijerpotato.com



Johan van der Stee
Commercial Director
T +31 (0)113 760112
M +31 (0)651124207
johanvanderstee@meijerpotato.com



Laurent Mémeteau
International Sales Manager
T +33 (0)247 489517
M +33 (0)687733991
laurentmemeteau@meijerpotato.com



Elodie Bonnet
International Product Manager
T +33 (0)237 362899
M +33 (0)674624033
elodiebonnet@meijerpotato.com



Richard Polderdijk
International Product Manager
T +31 (0)113 760114
M +31 (0)611774716
richardpolderdijk@meijerpotato.com



Emile Letinturier
Product Developer
M +33 (0)640693496
emileletinturier@meijerpotato.com




Max Tärneberg
International Product Manager
T +44 (0)1263 710602
M +44 (0)7824708443
maxtarneberg@meijerpotato.co.uk



Hanja Slabbekoorn
International Product Manager
M +31 (0)620055013
hanjaslabbekoorn@meijerpotato.com



Matt Ward
International Product Manager
M +1 505-793-4312
mattward@meijerpotato.com



MEIJER

POTATO

Bathseweg 45
4411 RK Rilland
The Netherlands

PO Box 33
4416 ZG Kruijningen
The Netherlands

T +31 (0)113 - 76 01 00

F +31 (0)113 - 76 01 19

www.meijerpotato.com



Building on potential